

The perfect segue to full fleet electrification



# Product Brochure

Release date: 2/1/2024

Authorized Charge Rigs Dealer



# Flexx mobile charging system

The “Flex” inside of Flexx Mobile Charger stands for flexible. This charging system was specifically designed to meet the use cases that traditional charging solutions fail to meet.

The system is easy to move around, yet packs large power sources for longer charging use without needing to recharge the unit as often. The system comes in multiple power source configurations, allowing you to purchase only what you need.

Flexx mobile units are easy to operate, have low downtime, and are priced right for smaller budgets. Bottom line, Flexx charging units increase your fleet readiness, optimize your charging infrastructure and increase the ROI on your entire fleet!

**If you have a medium to large size EV fleet, the Flexx mobile charging solution is what you need!**

**FLEXX**  
Mobile charger product line by Charge Rigs

- Corporate Fleets
- Emergency Response
- Car Rental Companies
- Airport Operations
- Off Grid Events
- Fleet Support
- Municipalities
- Construction



# FLEXX120



## Measurements

- Length: 8 ft
- Width: 4 ft
- Height: 3.5 ft
- Weight: 3000 lbs

## Characteristics

- Connectors: 2 (NACS/CCS1)
- Max Output: 120 kW
- Simultaneous: Yes
- Power Store: 120 kWh
- Re-Charge: Level2 / DCFC





# FLEXX200

## Measurements

Length:	10.5 ft
Width:	4 ft
Height:	3.5 ft
Weight:	4500 lbs

## Characteristics

Connectors:	2 (NACS/CCS1)
Max Output:	120 kW
Simultaneous:	Yes
Power Store:	200 kWh
Re-Charge:	Level2 / DCFC

Charger / battery control system


Emergency Stop

Recharge connector


Easy serviceability

4 Wheel independent, air ride, no axle suspension w/ brakes

Powered Levelers



# FLEXX300




## Measurements

Length:	13 ft
Width:	4 ft
Height:	3.5 ft
Weight:	5500 lbs

## Characteristics

Connectors:	2 (NACS/CCS1)
Max Output:	120 kW
Simultaneous:	Yes
Power Store:	300 kWh
Re-Charge:	Level2 / DCFC



# FLEXX

## OCPP Compliancy

All Flexx series mobile chargers are OCPP1.6j compliant. This means that you can integrate this charger into any existing cloud network. The charger OCPP stack has 100% of the OCPP features including trigger messages, stacked profiles, and MeterValues.


All Flexx series mobile chargers will have the option to communicate via OCPP 2.0.1j in the 1<sup>st</sup> quarter of 2025. This will include 15118, plug and charge.



Even though our chargers are cloud agnostic, we recommend the NovaCHARGE cloud platform called ChargeUP. ChargeUP is very unique because it has the ability to see charger battery levels inside the cloud app. Flexx mobile units are also able to work within the NovaCHARGE Fleet Director platform!




Version 5.0





# Warranty & Support



Flexx mobile chargers are high quality charging assets. They have gone through rigorous testing and are robust enough to weather the elements as well as ride on a trailer.

All Flex models come with 2-year parts and labor warranty. The units also come with 2 years of remote support and diagnostics.

If required, on-site support may be purchased on as-needed basis.

Support and technical training may be obtained at our location in Orlando, FL



Authorized Charge Rigs Dealer



Phone: 321-396-0367

Email: [info@chargerigs.com](mailto:info@chargerigs.com)

**The perfect segue to full fleet electrification**

